





# NEW MODEL RANGE 2018

# **Dominator & Commando**

# Dominator

### • FACTORY FIT OPTIONS

	Diack Line Crees	Deliched Line Succ
Stnd Bike Parts	Black Line Spec	Polished Line Spec
Gold USD Fork	Black USD Forks	Polished USD Forks
Yellow Shock Spring	Blk Shock Spring	Blk Shock Spring
Clear Chassis Pack; Dominator Top & Bottom Yoke, Clip-Ons, Instrument Panel, Toe Pegs, Bar End Weights, Foot levers, Foot Control Plates, Res Brackets, Dome Top Nut	Blk Chassis Pack; Dominator Top & Bottom Yoke, Clip-Ons, Instrument Panel, Toe Pegs, Bar End Weights, Foot levers, Foot Control Plates, Res Brackets, Dome Top NutPolished Chassis Pack; Dominator Top & Bottom Yoke, Clip Panel, Toe Pegs, Bar End Weights Foot Control Plates, Res Brackets	
Brushed headlight Brackets (no flyscreen mounts)	Blk Headlight Bkts (with Flyscreen mount)	Polished Headlight Bkts (with Flyscreen mount)
Brushed Indicator Spacers	Blk Indicator Spacers	Polished Indicator Spacers
Chrome Headlight	Blk Headlight	Chrome Headlight
Brushed Side Panel	Black Anodised side panel	Polished side panels
Brushed Knurled Seat Fixing	Black Annodise Knurled Seat Fixing	Polished Knurled Seat Fixing
Brushed Stainless chainguard	Black powdercoat chainguard	Polished Stainless Chainguard
Polished Rims	Blk Rims	Polished Rims
Silver Engine	Blk Engine	Silver Engine
Polished Spocket Cover	Blk Sprocket Cover	Polished Spocket Cover
Titanium Grey Tank with black pin	Black Tank with grey pin	Silver Tank with Single Black Pin
Blk Rear Sprocket	Blk Rear Sprocket	Polished Rear Sprocket
Stnd Blk Oil Cooler	Blk Powdercoated Upgraded Ali Oil Cooler	Brushed Upgraded Ali Oil Cooler
not included	Blk Billet Brake / Clutch Levers	Polished Billet Brake / Clutch Levers
not included	Blk Billet Aftermarket Mirrors	Polished Billet Aftermarket Mirrors
not included	Carbon Dominator Flyscreen	Carbon Dominator Flyscreen






























THE ULTIMATE BRITISH STREET RACER

The Dominator, stripped bare reveals the beauty of the TIG welded frame. This creates a new dimension to the aggressive stance. Brushed aluminium tank with the welded frame lacquered to preserve its' raw beauty. Matte lacquered carbon adds more naked attraction


















# Commando

## **Sport, Cafe Racer & California**

New ! One retail price for all 3 Standard models

All Commando's available in Standard, Black Line & Polished Line version

# Commando

### • FACTORY FIT OPTIONS

### • SPORT & CAFE RACER & CALIFORNIA

Stnd Bike Parts	Black Line Spec	Polished Line Spec	
Gold USD Fork	Black USD Forks	Polished USD Forks	
Clear Chassis Pack;	Blk Chassis Pack;	Polish Chassis Pack;	
Commando Top & Bottom Yoke, Handle Bar	Dominator Top & Bottom Yoke, Handle Bar Clamps &	Dominator Top & Bottom Yoke, Handle Bar Clamps 8	
Clamps & Spacers (Sport/Cali only), Clip-Ons	Spacers (Sport/Cali only), Clip-Ons (Café Only),	Spacers (Sport/Cali only), Clip-Ons (Café Only),	
(Café Only), Instrument Panel, Toe Pegs, Bar End	Instrument Panel, Toe Pegs, Bar End Weights, Foot	Instrument Panel, Toe Pegs, Bar End Weights, Foot	
Weights, Foot levers, Foot Control Plates, Res	levers, Foot Control Plates, Res Brackets, Dome Top	levers, Foot Control Plates, Res Brackets, Dome	
Brackets, Dome Top Nut	Nut	Top Nut	
Commando Blk headlight Brackets	Dominator Black Headlight Bkts	Polished Dominator Headlight Bkts	
Blk Headlight	Blk Headlight	Chrome Headlight	
Black Steel Chainguard	Carbon Chainguard	Chrome Chain guard	
Plastic Hugger	Carbon Hugger	Carbon Hugger	
Plastic No Plate Hanger	Carbon No Plate Hanger	Carbon No Plate Hanger	
Blk Powdercoat Side Stand	Blk Powdercoat Side Stand	Chrome Side stand	
Polished Rims	Blk Rims	Polished Rims	
Silver Engine	Blk Engine	Silver Engine	
Polished Spocket Cover	Blk Sprocket Cover	Polished Spocket Cover	
Integral Resvouirs Master Cyls (Sport and Cali Only)	Remote Resiviour Radial Master Cyls	Remote Resiviour Radial Master Cyls	
Blk Rear Sprocket	Blk Rear Sprocket Polished Rear Sprocket		
Stnd Blk Oil Cooler	Blk Powdercoated Upgraded Ali Oil Cooler	Brushed Upgraded Ali Oil Cooler	
Carbon Commando Flyscreen (Café Only)	Carbon Dominator Flyscreen (Café and Sport Only) Carbon Dominator Flyscreen (Café a		
not included	Blk Billet Brake / Clutch Levers Polished Billet Brake / Clutch Levers		
not included	Blk Billet Aftermarket Mirrors	Polished Billet Aftermarket Mirrors	





# Commando 961 Café Racer

### TECHNICAL SPECIFICATION

#### ENGINE

**Engine Type:** In-house developed parallel twin with dry sump lubrication

Displacement: 961 cc

Cooling system: Air/Oil

Valve actuation: Push-rod, hydraulic valve lifter, 2-valves per cylinder

Bore & Stroke: 88 x 79mm

C ompressions ratio: 10.1:1

Ignition: Crank fired electronic fuel injection.

**Exhaust:** Full stainless steel exhaust system with multiple 3-way catalytic converter, Euro 4 compliant

#### TRANSMISSION

Gearbox: Constant mesh 5-speed

Final drive: 525 O ring chain

Clutch: Wet multi plate

DIMENSIONS
------------

W heelbase: 1400mm (55.12 inches)

Rake: 24.5 degrees

Trail: 99mm (3.9 inches)

Front wheel: 36-spoke, 3.5" x 17" polished aluminium rim Rear wheel: 40-spoke, 5.5" x 17" polished

aluminium rim

Front tyre: 120 /70 x 17"

Rear tyre: 180/55 x 17"

Front wheel travel: 115mm (4.53 inches)

R ear wheel travel: 100mm (3.94 inches)

Seat height: 810mm (32 inches)

Tank size: 17 litres (4.5 US gallons)

#### SUSPENSION

**Front suspension:** 43mm Ohlins upside down forks, adjustable for preload, compression and rebound damping.

**R** ear suspension: Ohlins twin shocks with remote reservoir – fully adjustable.

#### BRAKES

**Front brakes:** Full Brembo system, twin Brembo 320mm fully-floating high carbon steel discs and Brembo 4-piston 'Mono bloc' radially mounted calipers with ABS. Brembo front brake master cylinder.

**R ear brake:** Full Brembo system, Brembo 240mm disc and 2-piston calliper with ABS. Brembo rear brake master cylinder.

**Clutch:** Brembo hydraulic clutch master cylinder, with remote reservoir and Brembo slave cylinder

#### PERFORMANCE

Power: 71.9PS @ 7500rpm

Torque: 67Nm @ 6500rpm

Fuel consumption: 55mpg/160

#### **ELECTRONICS & CONTROLS**

Electronics: 300-watt high-output charging system

Instruments: Norton electronic analogue speedometer and tachometer

**Steering:** Machined billet yokes **Handlebars:** Hand-welded high-grade aluminum clip-ons

#### BODYWORK

**Dual seat unit:** Pillion seat and colour matched seat cowl

Mudguard: Carbon fibre

Flyscreen: Carbon fibre

#### **COLOUR OPTIONS**

■ Galactic Black with gold pinstripe

Royal Red with gold pinstripe

Manx Silver with Red/Black pinstripe

Titanium Grey with black pinstripe

Steel Green with black pinstripe

English White with black pinstripe

# **Sport Standard**





# **Commando 961 Sport**

## TECHNICAL SPECIFICATION

#### ENGINE

**Engine Type:** In-house developed parallel twin with dry sump lubrication

Displacement: 961 cc

Cooling system: Air/Oil

Valve actuation: Push-rod, hydraulic valve lifter, 2-valves per cylinder

Bore & Stroke: 88 x 79mm

C ompressions ratio: 10.1:1

Ignition: Crank fired electronic fuel injection.

**Exhaust:** Full stainless steel exhaust system with multiple 3-way catalytic converter, Euro 4 compliant

#### TRANSMISSION

Gearbox: Constant mesh 5-speed

Final drive: 525 O ring chain

Clutch: Wet multi plate

DIM	EN	SI	ON	S

W heelbase: 1400mm (55.12 inches)

Rake: 24.5 degrees

Trail: 99mm (3.9 inches)

Front wheel: 36-spoke, 3.5" x 17" polished aluminium rim Rear wheel: 40-spoke, 5.5" x 17" polished

aluminium rim

Front tyre: 120 /70 x 17"

Rear tyre: 180/55 x 17"

Front wheel travel: 115mm (4.53 inches)

R ear wheel travel: 100mm (3.94 inches)

Seat height: 810mm (32 inches)

Tank size: 17 litres (4.5 US gallons)

#### SUSPENSION

**Front suspension:** 43mm Ohlins upside down forks, adjustable for preload, compression and rebound damping.

**R** ear suspension: Ohlins twin shocks with remote reservoir – fully adjustable.

#### BRAKES

**Front brakes:** Full Brembo system, twin Brembo 320mm fully-floating high carbon steel discs and Brembo 4-piston 'Mono bloc' radially mounted calipers with ABS. Brembo front brake master cylinder.

**R ear brake:** Full Brembo system, Brembo 240mm disc and 2-piston calliper with ABS. Brembo rear brake master cylinder.

**Clutch:** Brembo hydraulic clutch master cylinder, with integral reservoir and Brembo slave cylinder

#### PERFORMANCE

Power: 71.9PS @ 7500rpm

Torque: 67Nm @ 6500rpm

Fuel consumption: 55mpg/160

#### ELECTRONICS & CONTROLS

Electronics: 300-watt high-output charging system

Instruments: Norton electronic analogue speedometer and tachometer

Steering: Machined billet yokes Handlebars: Tapered aluminium black anodised bars

#### BODYWORK

**Dual seat unit:** Pillion seat and colour matched seat cowl

Mudguard: Carbon fibre

#### **COLOUR OPTIONS**

■ Galactic black with gold pinstripe

Royal Red with gold pinstripe

Manx silver with red/Black pinstripe

Titanium grey with black pinstripe

Steel green with black pinstripe

English white with black pinstripe



# **Cafe Racer Polished Line**



# **Cafe Racer Polished Line**




# **Cafe Racer Polished Line**













# **California Polished Line**



- Picture shows anniversary California. Polished line version instead comes with engine barrel in silver.
  4 Premium Colours as shown are available as option



### **Commando 961 California**

### TECHNICAL SPECIFICATION

DIMENSIONS

#### ENGINE

**Engine Type:** In-house developed parallel twin with dry sump lubrication

#### **Displacement: 961cc**

C ooling system: Air/Oil

Valve actuation: Push-rod, hydraulic valve lifter, 2-valves per cylinder

Bore & Stroke: 88 x 79mm

C ompressions ratio: 10.1:1

Ignition: Crank fired electronic fuel injection.

**Exhaust:** Full stainless steel exhaust system with multiple 3-way catalytic converter, Euro 4 compliant

#### TRANSMISSION

Gearbox: Constant mesh 5-speed

Final drive: 525 O ring chain

Clutch: Wet multi plate

DIMENSIONS	
W heelbase: 1400mm (55.12 inches) Rake: 24.5 degrees	Fi B
Trail: 99mm (3.9 inches)	st b
Front wheel: 36-spoke, 3.5" x 17"polished aluminium rim	B R
Rear wheel: 40-spoke, 5.5" x 17" polished aluminium rim	2 <sup>4</sup> A
Front tyre: 120/70 x 17"	C
R ear tyre: 180/55 x 17"	C B
Front wheel travel: 115mm (4.53 inches)	
R ear wheel travel: 100mm (3.94 inches)	
Seat height: 810mm (32 inches)	P 
Tank size: 17 litres (4.5 US gallons)	F
SUSPENSION	
Front suspension: 43mm Ohlins upside down forks, adjustable for preload, compression and rebound damping	E cl
	s

**R ear suspension**: Ohlins twin shocks with remote reservoir – fully adjustable

#### BRAKES

**Front brakes:** Full Brembo system, twin Brembo 320mm fully-floating high carbon steel discs and Brembo 4-piston 'Mono bloc' radially mounted calipers with ABS. Brembo front brake master cylinder.

**R ear brake:** Full Brembo system, Brembo 240mm disc and 2-piston calliper with ABS. Brembo rear brake master cylinder.

**Clutch:** Brembo hydraulic clutch master cylinder, with integral reservoir and Brembo slave cylinder

#### PERFORMANCE

Power: 71.9PS @ 7500rpm

Torque: 67Nm @ 6500rpm

uel consumption: 55mpg/160

#### ELECTRONICS & CONTROLS

Electronics: 300-watt high-output charging system

Instruments: Norton electronic analogue speedometer and tachometer

Steering: Machined billet yokes

Handlebars: High Rise Bars

#### BODYWORK

**Dual seat unit:** Pillion seat and colour matched seat cowl

Mudguard: Carbon fibre

#### **COLOUR OPTIONS**

■ Galactic black with gold pinstripe

Royal Red with gold pinstripe

Manx silver with red/Black pinstripe

Titanium grey with black pinstripe

Steel green with black pinstripe

English white with black pinstripe

